



 **KIRWAN**[®] SURGICAL PRODUCTS
ПРОДУКТЫ ХИРУРГИИ





Lawrence T. Kirwan, Sr.
Founder

DEVELOPING FINE SURGICAL PRODUCTS SINCE 1979

Lawrence T. Kirwan, Sr., a graduate of Boston Technical High School, who went on to Northeastern University, had a keen interest in mechanical engineering. That interest brought him to Codman & Shurtleff, Inc., a manufacturer of general and specialty surgical instruments and equipment. After 29 years at Codman, Mr. Kirwan decided to start his own company.

In November, 1979, New England Surgical Instruments was started by Mr. Kirwan and his wife, Jean. New England Surgical Instruments manufactured surgical instruments for microsurgical specialties such as neurosurgery, ophthalmology, and ear, nose and throat. Initially, the company was run from the basement of Mr. and Mrs. Kirwan's home in Duxbury, Massachusetts. After a year of having employees coming in and

out of their house, the Kirwans decided it was time to move to a bigger facility.

In 1980, New England Surgical Instruments moved to an old shoe factory in Rockland, Massachusetts. It was there, in 1989, that New England Surgical Instruments became Kirwan Surgical Products, Inc. The new name helped the company distinguish itself from others and emphasize that Kirwan is a family owned and operated business.

Kirwan Surgical Products continued its success and growth. Seventeen years and many more employees later, Kirwan outgrew the Rockland facility as well.

After many years of renting space at the Rockland, Massachusetts headquarters, the Kirwans built their own 30,000 square foot custom designed manufacturing facility in the seaside town of Marshfield, Massachusetts. Sadly, Lawrence T. Kirwan Sr. passed away before he could see his magnificent facility come to completion.

And Kirwan continues to grow. Construction was completed in September, 2002, expanding the facility by 20,000 square feet, bringing Kirwan's headquarters to 50,000 square feet.



OUR MISSION

Kirwan Surgical Products is dedicated to creating and developing superior products for demanding microsurgical specialties such as neurosurgery, ophthalmology, ear, nose and throat, plastic and reconstructive surgery, and orthopaedic surgery. Our mission is to provide innovative high quality products at competitive prices. We continue to be an innovator in the field of electrosurgery and hold a number of patents on groundbreaking product designs and manufacturing techniques associated with the field.

BIPOLAR COAGULATORS 4-6

CORDS 8-15

Bipolar Flying Lead Cords	9	Cord Adapters	13
Reusable Bipolar Cords	10-11	Monopolar Cords	13-14
Bipolar Fixed Pin Cords	11-12	International Bipolar Cords	15

LIBERTY DISPOSABLE FORCEPS 16-24

COHEN Forceps	17	Stainless Steel	20-22	Overmolded	24
3-Hole Yasargil Style Forceps	18	Irrigating	23		
AURA Forceps	19	Monopolar	23		

BIPOLAR FORCEPS 26-53

Straight Forceps	27-30	3-Hole Yasargil Style Forceps	37	IRRIGATING BIPOLAR FORCEPS	44-48
Titanium Straight Forceps	30	Malis Style Forceps	38-39	Scoville-Greenwood Irr Forceps	44
Scoville-Greenwood Forceps	31	Round Handle Forceps	40	Cushing Irr Forceps	44
Cushing Forceps	32	MIS Style Forceps	41	Gerald Irr Forceps	45
Gerald Forceps	32	Reverse Action Style Forceps	41	Hardy Irr Forceps	45
Hardy Forceps	33	Titanium AURA Forceps	42	Malis Style Irr Forceps	46
Yasargil Forceps	34-36	Narrow Line Forceps	43	Yasargil Irr Forceps	47-48
				European Connector Forceps	49-52

BIPOLAR PENCILS 54-57

Disposable Bipolar Pencils	55	Side by Side Probes	57
Reusable Bipolar Pencils	56		

SUCTION COAGULATORS 58-59

MONOPOLAR FORCEPS 60-63

Straight Monopolar Forceps	61	Handswitch Forceps	63
Bayonet Monopolar Forceps	61-62		

MICRODISSECTION NEEDLES, ELECTRODES AND HANDLES 64-67

Microdissection Needles	65-66	Chuck Handles	67
Electrodes	67	Cut and Coag Pencil	67

MISCELLANEOUS 68-72

I/A Handpieces	69	Battery Cauteries	71
Bankart Sets	70	Sterilization Trays	53, 72
Retractors	70		

INDEX 73-76

LEGEND

 AURA Elite Non-stick	 Non-stick	 Stainless Steel	 Titanium
 Insulated	 Irrigated	 Do Not Re-use	

BIPOLAR COAGULATORS

Kirwan Surgical Products' AURA™ line of coagulators includes a 20-watt bipolar coagulator, a 70-watt bipolar coagulator and a 70-watt bipolar coagulator with irrigation pump.

Also complementing Kirwan's line of bipolar coagulators is the Coa-Comp 40-watt unit ideal for any surgical environment that demands precise bipolar coagulation.





26-2500


ITEM #	DESCRIPTION
26-2500	AURA™ 110/220V 20W bipolar coagulator with footswitch
26-2500P	Complete package includes: 26-2500 AURA™ 20W bipolar coagulator, 2 boxes of disposable cords, 1 reusable forceps

ITEM #	DESCRIPTION
28-1900	COA-COMP® 110/220V 40W bipolar coagulator with footswitch

28-1900



ITEM #	DESCRIPTION	FEATURES
28-2000	AURA™ 70W bipolar coagulator with footswitch	
28-2000P	Complete package includes: 28-2000 AURA™ 70W bipolar coagulator, 2 AURA™ non-irrigating forceps, a 2-forceps instrument tray, 2 boxes of disposable bipolar cords 1 rolling generator stand	
28-2600	AURA™ Plus 110/220V 70W bipolar irrigating coagulator with footswitch	💧
28-2600W	AURA™ Plus 110/220V 70W bipolar irrigating coagulator with weighted round footswitch	💧
28-2600P	Complete package includes: 28-2600 AURA™ 70W bipolar irrigating coagulator, 2 AURA™ irrigating forceps, a 2-forceps instrument tray, 2 boxes of irrigating tubing sets, 1 rolling generator stand	💧



ITEM #	DESCRIPTION
10-9070	Generator stand for 70W bipolar coagulators



CORDS

Since 1979, Kirwan Surgical Products has built its reputation on manufacturing superior quality electrosurgical accessories.

Kirwan Surgical cords, renowned for their flexibility, suppleness and durability, are unsurpassed in the industry.

DISPOSABLE FLYING LEAD BIPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION	FEATURES	
10-4000	12' (3.6m)	Disposable bipolar cord sterile green		
10-4001	12' (3.6m)	Disposable bipolar cord sterile clear		
10-4001A	12' (3.6m)	Disposable bipolar cord sterile clear, 90° angle		
10-4021	16.4' (5m)	Disposable bipolar cord sterile clear, bladed connector		
10-4601		Disposable bipolar irrigation tube and cord assembly		
10-4602		Disposable bipolar irrigation tube and cord assembly, M1000 type		
10-4611		Disposable bipolar dual irrigation cord assembly		
10-4601A		Disposable bipolar irrigation tube and cord assembly, 90° angle		
10-4602A		Disposable bipolar irrigation tube and cord assembly, M1000 type, 90° angle		

REUSABLE FLYING LEAD BIPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION	
10-5000	12' (3.6m)	Reusable TPR bipolar cord (Thermoplastic rubber)	
10-5000A	12' (3.6m)	Reusable TPR bipolar cord (Thermoplastic rubber), 90° angle	
10-5001	6' (1.8m)	Reusable TPR bipolar cord (Thermoplastic rubber)	
10-6000	12' (3.6m)	Reusable silicone bipolar cord	
10-6002	12' (3.6m)	Reusable silicone bipolar scissors cord	

ITEM #	LENGTH	DESCRIPTION	
10-6010	12' (3.6m)	Reusable silicone bipolar cord with Lemo Plug (for Storz-type Daisy)	
10-6011	12' (3.6m)	Reusable silicone bipolar cord with Lemo Plug (for Storz-type Premier)	
10-6012	12' (3.6m)	Reusable silicone bipolar cord with 2 Lemo plugs	
10-6020	12' (3.6m)	Reusable silicone bipolar cord (with banana pins & bladed connector)	
10-6025	12' (3.6m)	Reusable silicone bipolar cord with booted forceps connector (for Wolf/Martin-type)	
10-6050	12' (3.6m)	Reusable silicone bipolar cord with Erbe-type/Storz Millennium-type booted forceps connector	
10-6055	12' (3.6m)	Reusable silicone bipolar cord with Redel connector	
10-6060	12' (3.6m)	Reusable silicone bipolar cord with Fischer plug	



REUSABLE BIPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION
10-6075	12' (3.6m)	Reusable silicone bipolar cord (for O.M.S. -type Phaco machine)
10-6076	6' (1.8m)	Reusable silicone bipolar cord (for O.M.S. -type Phaco machine)
10-7001	12' (3.6m)	Reusable silicone bipolar handswitch cord
10-7050	6'4" (1.9m)	Reusable blue silicone coaxial cord (for D.O.R.C. -type Phaco)



DISPOSABLE FIXED PIN BIPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION	FEATURES
10-4000J	12' (3.6m)	Disposable bipolar cord with fixed pins, 38mm, sterile green	
10-4001J	12' (3.6m)	Disposable bipolar cord with fixed pins, 38mm, sterile clear	
10-4000R	12' (3.6m)	Disposable bipolar cord with fixed pins, 22mm, sterile green	
10-4001R	12' (3.6m)	Disposable bipolar cord with fixed pins, 22mm, sterile clear	
10-4000V	12' (3.6m)	Disposable bipolar cord with fixed pins, 28.6mm, sterile green	
10-4001V	12' (3.6m)	Disposable bipolar cord with fixed pins, 28.6mm, sterile clear	



DISPOSABLE FIXED PIN BIPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION	FEATURES	
10-4601J		Disposable bipolar irrigation tube and cord assembly with fixed pins, 38mm, sterile		
10-4602J		Disposable bipolar irrigation tube and cord assembly, M1000 type with fixed pins, 38mm, sterile		
10-4601V		Disposable bipolar irrigation tube and cord assembly with fixed pins, 28.6mm, sterile		

REUSABLE FIXED PIN BIPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION	
10-5000R	12' (3.6m)	Reusable TPR bipolar cord with fixed pins, 22mm	
10-6000R	12' (3.6m)	Reusable silicone bipolar cord with fixed pins, 22mm	
10-5000V	12' (3.6m)	Reusable TPR bipolar cord with fixed pins, 28.6mm	
10-6000V	12' (3.6m)	Reusable silicone bipolar cord with fixed pins, 28.6mm	
10-6000J	12' (3.6m)	Reusable silicone bipolar cord with fixed pins, 38mm	
10-6020J	12' (3.6m)	Reusable silicone bipolar cord with fixed pins, 38mm, EU Connector	

CORD ADAPTERS

ITEM #	DESCRIPTION	
10-6500	Reusable bipolar Erbe-type/Storz-Millennium-type adapter (Erbe-type to banana pin)	
10-6575	Reusable O.M.S.-type Phaco machine adapter	
30-5110	Reusable monopolar suction coagulator adapter (banana pin to Bovie)	
30-5205	Reusable monopolar suction coagulator adapter (Resectoscope to Bovie)	
30-5210	Reusable monopolar suction coagulator adapter (Resectoscope to banana pin)	

DISPOSABLE MONOPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION	FEATURES	
30-1201	10' (3m)	Disposable monopolar endoscopic cord, sterile green with straight Kirwan plug		
30-1201L	10' (3m)	Disposable monopolar endoscopic cord, sterile green with extended straight Kirwan plug		
30-1203	10' (3m)	Disposable monopolar endoscopic cord, sterile green with Kirwan plug		
30-1204	10' (3m)	Disposable monopolar endoscopic cord, sterile green with Kirwan plug and banana pin		

DISPOSABLE MONOPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION	FEATURES	
30-1208	10' (3m)	Disposable monopolar endoscopic cord, sterile green with Luer connector		
30-1209	10' (3m)	Disposable monopolar endoscopic cord, sterile green with 2mm pin		

REUSABLE MONOPOLAR CORDS

ITEM #	LENGTH	DESCRIPTION	
30-1000	10' (3m)	Reusable silicone monopolar cord with Kirwan Plug	
30-1205	10' (3m)	Reusable silicone monopolar endoscopic cord with Kirwan Plug	
30-1206	10' (3m)	Reusable silicone monopolar endoscopic cord with Kirwan Plug and banana pin	
30-3003	10' (3m)	Reusable silicone monopolar cord with banana pins	

INTERNATIONAL BIPOLAR CORDS

ITEM #	DESCRIPTION	FEATURES	
10-4018J	Disposable 5m bipolar cord, sterile, fixed 38mm pins to European bladed connector		
10-4021V	Disposable 5m bipolar cord, sterile, fixed 28.6mm pins to European bladed connector		
10-4028J	Disposable 5m bipolar cord, sterile, fixed 38mm pins to booted dual connector		
10-4028V	Disposable 5m bipolar cord, sterile, fixed 28.6mm pins to booted dual connector		
10-4038	Disposable 5m bipolar cord, sterile, Erbe-type to European bladed connector		
10-4048	Disposable 5m bipolar cord, sterile, Wolf/Martin-type to European bladed connector		
10-4058	Disposable 5m bipolar cord, sterile, Erbe-type to booted dual connector		
10-4068	Disposable 5m bipolar cord, sterile, Wolf/Martin-type to booted dual connector		



DISPOSABLE FORCEPS


Kirwan Surgical Products Liberty™ Disposable Forceps are manufactured using the same procedures as our high-quality reusable forceps. Superior in look, feel and finish and available in many styles, these forceps come packaged either with or without a detachable cord.

- Freedom From High Prices
- Freedom From Autoclaving and Reprocessing
- Freedom From Repeated Handling
- Freedom From Refurbishment

Liberty AURA Elite Non-Stick Disposable Bipolar Forceps

offer advanced non-stick technology in a disposable forceps. This product line is the perfect marriage between the popular Liberty™ disposable bipolar forceps and the widely acclaimed AURA™ Elite non-stick reusable bipolar forceps. These disposable forceps rapidly conduct energy and heat away from the tips so tissue is not coagulated onto the forceps, and the non-stick effect is ensured. Liberty AURA Elite Non-Stick Disposable Bipolar Forceps are insulated, include a 12 foot detachable cord and are sterile-packaged five to a pack.

- Non-stick disposable at affordable prices
- Complete out of the package with attached cord
- Comparable in size to a standard reusable forceps



Liberty AURA Elite



Disposable COHEN™ Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated with 12' Cord


ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-5022AU	7" (17.8cm)	-	0.5mm	-	AU IN
19-5024AU	7" (17.8cm)	-	1.0mm	-	AU IN
19-5026AU	7" (17.8cm)	-	1.5mm	-	AU IN
19-5032AU	8" (20.3cm)	-	0.5mm	-	AU IN
19-5034AU	8" (20.3cm)	-	1.0mm	-	AU IN
19-5036AU	8" (20.3cm)	-	1.5mm	-	AU IN
19-5042AU	9" (22.9cm)	-	0.5mm	-	AU IN
19-5044AU	9" (22.9cm)	-	1.0mm	-	AU IN
19-5046AU	9" (22.9cm)	-	1.5mm	-	AU IN

* COHEN "AU" forceps also available as "AUX" packaged without cords.




Disposable COHEN™ Bayonet Irrigating AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-5032AU ^{IR}	8" (20.3cm)	-	0.5mm	-	AU IN
19-5034AU ^{IR}	8" (20.3cm)	-	1.0mm	-	AU IN
19-5036AU ^{IR}	8" (20.3cm)	-	1.5mm	-	AU IN
19-5042AU ^{IR}	9" (22.9cm)	-	0.5mm	-	AU IN
19-5044AU ^{IR}	9" (22.9cm)	-	1.0mm	-	AU IN
19-5046AU ^{IR}	9" (22.9cm)	-	1.5mm	-	AU IN



Disposable 3-Hole Yasargil Style AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-2022AU	7" (17.8cm)	-	0.5mm	-	AU IN
19-2024AU	7" (17.8cm)	-	1.0mm	-	AU IN
19-2026AU	7" (17.8cm)	-	1.5mm	-	AU IN
19-2032AU	8" (20.3cm)	-	0.5mm	-	AU IN
19-2034AU	8" (20.3cm)	-	1.0mm	-	AU IN
19-2036AU	8" (20.3cm)	-	1.5mm	-	AU IN
19-2042AU	9" (22.9cm)	-	0.5mm	-	AU IN
19-2044AU	9" (22.9cm)	-	1.0mm	-	AU IN
19-2046AU	9" (22.9cm)	-	1.5mm	-	AU IN





Disposable AURA™ Non-Stick Bipolar Forceps, Insulated with 12' Cord


ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-1003AU	7 3/4" (19.7cm)	Scoville-Greenwood Bayonet	1.5mm	-	AU IN
19-1103AU	7 1/2" (19.1cm)	Gerald Bayonet	1.0mm	-	AU IN
19-1200AU	7 1/2" (19.1cm)	Cushing Bayonet	0.7mm	-	AU IN
19-1205AU	7 1/2" (19.1cm)	Cushing Bayonet	0.5mm	-	AU IN
19-2004AU	7 1/2" (19.1cm)	Cushing Bayonet	2.0mm	-	AU IN
19-1227AU	8 1/2" (21.6cm)	Hardy Bayonet	0.5mm	-	AU IN
19-1228AU	8 1/2" (21.6cm)	Hardy Bayonet	1.0mm	-	AU IN
19-1229AU	8 1/2" (21.6cm)	Hardy Bayonet	1.5mm	-	AU IN
19-1230AU	8 1/2" (21.6cm)	Hardy Bayonet	0.7mm	-	AU IN
19-1231AU	8 1/2" (21.6cm)	Hardy Bayonet	2.0mm	-	AU IN
19-1235AU	10" (25.4cm)	Hardy Bayonet	1.0mm	-	AU IN
19-1236AU	10" (25.4cm)	Hardy Bayonet	1.5mm	-	AU IN
19-1240AU	5 1/2" (14cm)	Semkin	0.7mm	-	AU IN
19-2000AU	6" (15.2cm)	Cushing	1.0mm	-	AU IN
19-2002AU	7" (17.8cm)	Cushing	1.5mm	-	AU IN
19-3002AU	4" (10.2cm)	Jewelers, Straight	0.4mm	-	AU IN
19-3010AU	5" (12.7cm)	Adson	1.0mm	-	AU IN

* Liberty "AU" forceps also available as "AUX" packaged without cords.




Disposable Stainless Steel Bipolar Forceps, with 12' Cord

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-1003	7 3/4" (19.7cm)	Scoville-Greenwood Bayonet	1.5mm	-	SS
19-1103	7 1/2" (19.1cm)	Gerald Bayonet	1.0mm	-	SS
19-1200	7 1/2" (19.1cm)	Cushing Bayonet	0.7mm	-	SS
19-2004	7 1/2" (19.1cm)	Cushing Bayonet	2.0mm	-	SS
19-1228	8 1/2" (21.6cm)	Hardy Bayonet	1.0mm	-	SS
19-1229	8 1/2" (21.6cm)	Hardy Bayonet	1.5mm	-	SS
19-1230	8 1/2" (21.6cm)	Hardy Bayonet	0.5mm	-	SS
19-1235	10" (25.4cm)	Hardy Bayonet	1.0mm	-	SS
19-1240	5 1/2" (14cm)	Semkin	0.7mm	-	SS
19-1275	3 1/2" (8.9cm)	Iris	0.4mm	-	SS
19-1280	3 1/2" (8.9cm)	Iris, Curved	0.4mm	-	SS
19-1290	4 1/2" (11.4cm)	Coaptation	0.5mm	-	SS
19-1295	4 1/2" (11.4cm)	Coaptation	0.4mm	-	SS
19-2000	6" (15.2cm)	Cushing	1.0mm	-	SS
19-2002	7" (17.8cm)	Cushing	1.5mm	-	SS
19-3002	4" (10.2cm)	Jewelers, Straight	0.4mm	-	SS
19-3010	5" (12.7cm)	Adson	1.0mm	-	SS



Disposable Stainless Steel Bipolar Forceps, Insulated with 12' Cord

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-1003C	7 3/4" (19.7cm)	Scoville-Greenwood Bayonet	1.5mm	-	SS IN
19-1103C	7 1/2" (19.1cm)	Gerald Bayonet	1.0mm	-	SS IN
19-1200C	7 1/2" (19.1cm)	Cushing Bayonet	0.7mm	-	SS IN
19-2004C	7 1/2" (19.1cm)	Cushing Bayonet	2.0mm	-	SS IN
19-1228C	8 1/2" (21.6cm)	Hardy Bayonet	1.0mm	-	SS IN
19-1229C	8 1/2" (21.6cm)	Hardy Bayonet	1.5mm	-	SS IN
19-1230C	8 1/2" (21.6cm)	Hardy Bayonet	0.5mm	-	SS IN
19-1231C	8 1/2" (21.6cm)	Hardy Bayonet	2.0mm	-	SS IN
19-1235C	10" (25.4cm)	Hardy Bayonet	1.0mm	-	SS IN
19-1236C	10" (25.4cm)	Hardy Bayonet	1.5mm	-	SS IN
19-1240C	5 1/2" (14cm)	Semkin	0.7mm	-	SS IN
19-1250C	12 1/2" (31.8cm)	Hardy Bayonet	1.0mm	-	SS IN
19-1251C	12 1/2" (31.8cm)	Hardy Bayonet, Angled Up	1.0mm	-	SS IN
19-1275C	3 1/2" (8.9cm)	Iris	0.4mm	-	SS IN
19-1280C	3 1/2" (8.9cm)	Iris, Curved	0.4mm	-	SS IN
19-1290C	4 1/2" (11.4cm)	Coaptation	0.5mm	-	SS IN
19-1295C	4 1/2" (11.4cm)	Coaptation	0.4mm	-	SS IN
19-2000C	6" (15.2cm)	Cushing	1.0mm	-	SS IN
19-2002C	7" (17.8cm)	Cushing	1.5mm	-	SS IN
19-3002C	4" (10.2cm)	Jewelers, Straight	0.4mm	-	SS IN
19-3010C	5" (12.7cm)	Adson	1.0mm	-	SS IN



Disposable Stainless Steel Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-1003CX	7 3/4" (19.7cm)	Scoville-Greenwood Bayonet	1.5mm	-	SS IN
19-1103CX	7 1/2" (19.1cm)	Gerald Bayonet	1.0mm	-	SS IN
19-1200CX	7 1/2" (19.1cm)	Cushing Bayonet	0.7mm	-	SS IN
19-2004CX	7 1/2" (19.1cm)	Cushing Bayonet	2.0mm	-	SS IN
19-1228CX	8 1/2" (21.6cm)	Hardy Bayonet	1.0mm	-	SS IN
19-1229CX	8 1/2" (21.6cm)	Hardy Bayonet	1.5mm	-	SS IN
19-1230CX	8 1/2" (21.6cm)	Hardy Bayonet	0.5mm	-	SS IN
19-1231CX	8 1/2" (21.6cm)	Hardy Bayonet	2.0mm	-	SS IN
19-1235CX	10" (25.4cm)	Hardy Bayonet	1.0mm	-	SS IN
19-1236CX	10" (25.4cm)	Hardy Bayonet	1.5mm	-	SS IN
19-1240CX	5 1/2" (14cm)	Semkin	0.7mm	-	SS IN
19-1275CX	3 1/2" (8.9cm)	Iris	0.4mm	-	SS IN
19-1280CX	3 1/2" (8.9cm)	Iris, Curved	0.4mm	-	SS IN
19-1290CX	4 1/2" (11.4cm)	Coaptation	0.5mm	-	SS IN
19-1295CX	4 1/2" (11.4cm)	Coaptation	0.4mm	-	SS IN
19-2000CX	6" (15.2cm)	Cushing	1.0mm	-	SS IN
19-2002CX	7" (17.8cm)	Cushing	1.5mm	-	SS IN
19-3002CX	4" (10.2cm)	Jewelers, Straight	0.4mm	-	SS IN
19-3010CX	5" (12.7cm)	Adson	1.0mm	-	SS IN



19-1230IR

Disposable Stainless Steel Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-1003IR	7 3/4" (19.7cm)	Scoville-Greenwood Bayonet	1.5mm	-	SS IN  
19-1200IR	7 1/2" (19.1cm)	Cushing Bayonet	0.7mm	-	SS IN  
19-2004IR	7 1/2" (19.1cm)	Cushing Bayonet	2.0mm	-	SS IN  
19-1228IR	8 1/2" (21.6cm)	Hardy Bayonet	1.0mm	-	SS IN  
19-1229IR	8 1/2" (21.6cm)	Hardy Bayonet	1.5mm	-	SS IN  
19-1230IR	8 1/2" (21.6cm)	Hardy Bayonet	0.5mm	-	SS IN  
19-1231IR	8 1/2" (21.6cm)	Hardy Bayonet	2.0mm	-	SS IN  
19-1235IR	10" (25.4cm)	Hardy Bayonet	1.0mm	-	SS IN  
19-1236IR	10" (25.4cm)	Hardy Bayonet	1.5mm	-	SS IN  



19-8020C

Disposable Bayonet Monopolar Forceps, Insulated with 10' Cord

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-8020C	9" (22.9cm)	Straight, Serrated	2.0mm	-	SS IN  
19-8021C	9" (22.9cm)	-	1.0mm	-	SS IN  
19-8025C	9" (22.9cm)	Angled Up, Serrated	2.0mm	-	SS IN  
19-8026C	9" (22.9cm)	Curved	1.0mm	-	SS IN  



Disposable Overmolded Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
14-3000	4" (10.2cm)	Jewelers/Iris Non-Stick, Straight	0.4mm	-	NS IN
14-1080	4" (10.2cm)	Jewelers/Iris Non-Stick, Curved	0.4mm	-	NS IN
14-1090	4" (10.2cm)	Coaptation Non-Stick	0.4mm	-	NS IN
14-2401	5 1/2" (14cm)	Semkin, Straight	0.7mm	-	SS IN
14-2403	7" (17.8cm)	Cushing, Straight	1.5mm	-	SS IN
14-1413	7 1/2" (19.1cm)	Tonsil Bayonet	1.5mm	2 5/8" (6.7cm)	SS IN
14-4404	7 3/4" (19.7cm)	Scoville-Greenwood Bayonet	1.5mm	3" (7.5cm)	SS IN
14-4403	8 1/4" (21cm)	Gerald Bayonet	1.0mm	3 1/2" (8.9cm)	SS IN
14-1431	9" (22.9cm)	Hardy Bayonet	0.7mm	4" (10.2cm)	SS IN



Reusable Overmolded Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
16-3000	4" (10.2cm)	TPR Jewelers/Iris Non-Stick, Straight	0.4mm	-	NS IN
16-1080	4" (10.2cm)	TPR Jewelers/Iris Non-Stick, Curved	0.4mm	-	NS IN
16-1090	4" (10.2cm)	TPR Coaptation Non-Stick	0.4mm	-	NS IN
16-2400	5 1/2" (14cm)	TPR Semkin, Straight	0.7mm	-	SS IN
16-2102	7" (17.8cm)	TPR Cushing Non-Stick, Straight	1.5mm	-	NS IN
16-1413	7 1/2" (19.1cm)	TPR Tonsil Bayonet	1.5mm	2 5/8" (6.7cm)	SS IN
16-4403	7 3/4" (19.7cm)	TPR Scoville-Greenwood Bayonet	1.5mm	3" (7.5cm)	SS IN
16-4002	8 1/4" (21cm)	TPR Gerald Non-Stick Bayonet	1.0mm	3 1/2" (8.9cm)	NS IN
16-1030	9" (22.9cm)	TPR Hardy Non-Stick Bayonet	0.7mm	4" (10.2cm)	NS IN

BIPOLAR FORCEPS

Kirwan Surgical Products offers a variety of bipolar forceps styles: Reusable, Disposable, Bayonet, Straight, Stainless Steel, Non-Stick, Titanium, Insulated, Non-Insulated, Irrigating, Non-Irrigating, with Stops, without Stops and with various tip styles, tip angles and working lengths. Most features can be interchanged to customize the forceps to suit the surgeon's needs.

Highlighting Kirwan's bipolar product line is the AURA™ line of elite non-stick bipolar forceps. These forceps represent the culmination of 35 years of research and development and employ the physics of high conductivity to achieve the non-stick effect during coagulation.



Kirwan Surgical Products also offers repair and refurbishment services and can refurbish almost any manufacturer's bipolar and monopolar forceps.

12-1175AU



Iris Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1175AU	3 1/2" (8.9cm)	Straight, Non-Stick	0.4mm	-	AU
12-1275NS	3 1/2" (8.9cm)	Straight, Non-Stick	0.4mm	-	NS
12-1075	3 1/2" (8.9cm)	Straight	0.4mm	-	SS
12-1180AU	3 1/2" (8.9cm)	Curved, Non-Stick	0.4mm	-	AU
12-1280NS	3 1/2" (8.9cm)	Curved, Non-Stick	0.4mm	-	NS
12-1080	3 1/2" (8.9cm)	Curved	0.4mm	-	SS
12-1085	3 3/8" (8.6cm)	Curved	0.5mm	-	SS IN

10-3402AU



Jewelers Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-3402AU	4" (10.2cm)	Straight, Non-Stick, Insulated	0.4mm	-	AU IN
10-3202NS	4" (10.2cm)	Straight, Non-Stick, Insulated	0.4mm	-	NS IN
10-3002	4" (10.2cm)	Straight, Insulated	0.4mm	-	SS IN
10-3100AU	4" (10.2cm)	Straight, Non-Stick	0.4mm	-	AU
10-3200NS	4" (10.2cm)	Straight, Non-Stick	0.4mm	-	NS
10-3000	4" (10.2cm)	Straight	0.4mm	-	SS
10-3101AU	4" (10.2cm)	Curved, Non-Stick	0.4mm	-	AU
10-3201NS	4" (10.2cm)	Curved, Non-Stick	0.4mm	-	NS
10-3001	4" (10.2cm)	Curved	0.4mm	-	SS

10-3105AU



Tenzel Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-3105AU	4" (10.2cm)	Non-Stick	0.4mm	-	AU
10-3205NS	4" (10.2cm)	Non-Stick	0.4mm	-	NS
10-3005	4" (10.2cm)	-	0.4mm	-	SS

12-1192AU



Coaptation Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1192AU	4" (10.2cm)	Nadler Style, Non-Stick with Spacer	0.4mm	-	AU
12-1292NS	4" (10.2cm)	Nadler Style, Non-Stick with Spacer	0.4mm	-	NS
12-1092	4" (10.2cm)	Nadler Style, with Spacer	0.4mm	-	SS
12-1190AU	4 1/4" (10.8cm)	Non-Stick	0.5mm	-	AU
12-1290NS	4 1/4" (10.8cm)	Non-Stick	0.5mm	-	NS
12-1090	4 1/4" (10.8cm)	-	0.5mm	-	SS
12-1195AU	4 1/4" (10.8cm)	Non-Stick, X-fine	0.4mm	-	AU
12-1295NS	4 1/4" (10.8cm)	Non-Stick, X-fine	0.4mm	-	NS
12-1095	4 1/4" (10.8cm)	X-fine	0.4mm	-	SS

10-3415AU



Adson Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-3415AU	5" (12.7cm)	Non-Stick, Insulated	1.0mm	-	AU IN
10-3215NS	5" (12.7cm)	Non-Stick, Insulated	1.0mm	-	NS IN
10-3015	5" (12.7cm)	Insulated	1.0mm	-	SS IN
10-3110AU	5" (12.7cm)	Non-Stick	1.0mm	-	AU
10-3210NS	5" (12.7cm)	Non-Stick	1.0mm	-	NS
10-3010	5" (12.7cm)	-	1.0mm	-	SS

12-1140AU



Semkin Straight Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1140AU	5 1/2" (14cm)	Non-Stick with Stop	0.7mm	-	AU
12-1240NS	5 1/2" (14cm)	Non-Stick with Stop	0.7mm	-	NS
12-1040	5 1/2" (14cm)	with Stop	0.7mm	-	SS
12-1445AU	6" (15.2cm)	Non-Stick, Insulated	1.5mm	-	AU IN
12-1245NS	6" (15.2cm)	Non-Stick, Insulated	1.5mm	-	NS IN
12-1045	6" (15.2cm)	Insulated	1.5mm	-	SS IN

10-2402AU



Cushing Straight Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-2100AU	6" (15.2cm)	Non-Stick	0.7mm	-	AU
10-2200NS	6" (15.2cm)	Non-Stick	0.7mm	-	NS
10-2000	6" (15.2cm)	-	0.7mm	-	SS
10-2402AU	7" (17.8cm)	Non-Stick, Insulated	1.5mm	-	AU IN
10-2202NS	7" (17.8cm)	Non-Stick, Insulated	1.5mm	-	NS IN
10-2002	7" (17.8cm)	Insulated	1.5mm	-	SS IN
10-2101AU	7" (17.8cm)	Non-Stick	1.5mm	-	AU
10-2201NS	7" (17.8cm)	Non-Stick	1.5mm	-	NS
10-2001	7" (17.8cm)	-	1.5mm	-	SS

11-1402AU



Gerald Straight Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
11-1402AU	7" (17.8cm)	Non-Stick, Insulated	1.0mm	-	AU IN
11-1202NS	7" (17.8cm)	Non-Stick, Insulated	1.0mm	-	NS IN
11-1002	7" (17.8cm)	Insulated	1.0mm	-	SS IN
11-1100AU	7" (17.8cm)	Non-Stick	1.0mm	-	AU
11-1200NS	7" (17.8cm)	Non-Stick	1.0mm	-	NS
11-1000	7" (17.8cm)	-	1.0mm	-	SS

15-2105



15-3105



Titanium Straight Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
15-2103	3 1/2" (8.9cm)	Jewelers, 30° Angled	0.4mm	-	Ti
15-2104	3 1/2" (8.9cm)	Jewelers, Curved	0.4mm	-	Ti
15-2105	3 1/2" (8.9cm)	Jewelers, Straight	0.4mm	-	Ti
15-2107	3 3/4" (9.5cm)	Iris, Curved with Stop	0.5mm	-	Ti
15-2108	3 3/4" (9.5cm)	Eye with Stop	0.4mm	-	Ti
15-2109	4" (10.2cm)	Coaptation, Curved with Stop	0.5mm	-	Ti
15-3103	4 1/4" (10.8cm)	Jewelers, 90° Angled	0.4mm	-	Ti
15-3104	4 1/4" (10.8cm)	Jewelers, Straight	0.4mm	-	Ti
15-3110	4 1/2" (11.4cm)	Straight	0.4mm	-	Ti
15-3109	4 1/2" (11.4cm)	Reverse angle	0.4mm	-	Ti
15-3101	4 3/4" (12.1cm)	Wide Serrations, Straight	0.4mm	-	Ti
15-3105	4 3/4" (12.1cm)	Fine Serrations, Straight	0.4mm	-	Ti
15-5110	6" (15.2cm)	Straight	0.25mm	-	Ti
15-5112	6" (15.2cm)	Straight	0.5mm	-	Ti



Scoville-Greenwood Bayonet Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1403AU	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	AU IN
10-1203NS	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	NS IN
10-1003	7 3/4" (19.7cm)	Insulated	1.5mm	2 3/4" (7cm)	SS IN
10-1102AU	7 3/4" (19.7cm)	Non-Stick	1.5mm	2 3/4" (7cm)	AU
10-1202NS	7 3/4" (19.7cm)	Non-Stick	1.5mm	2 3/4" (7cm)	NS
10-1002	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	SS



Tonsil Bayonet Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1413AU	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	AU IN
10-1213NS	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	NS IN



Cushing Bayonet Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-2404AU	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	AU IN
12-1400AU	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	AU IN
12-1450AU	12 1/2" (31.8cm)	Non-Stick	1.0mm	8" (20.3cm)	AU IN
12-1451AU	12 1/2" (31.8cm)	Non-Stick	1.0mm	8" (20.3cm)	AU IN
10-2204NS	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	NS IN
12-1200NS	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	NS IN
10-2004	7 1/2" (19.1cm)	-	2.0mm	3 1/2" (8.9cm)	SS IN
12-1000	7 1/2" (19.1cm)	-	0.7mm	3 1/2" (8.9cm)	SS IN

GERALD FORCEPS



Gerald Bayonet Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
11-1403AU	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	AU IN
11-1203NS	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	NS IN
11-1003	7 1/2" (19.1cm)	Insulated	1.0mm	3 1/2" (8.9cm)	SS IN
11-1101AU	7 1/2" (19.1cm)	Non-Stick	1.0mm	3 1/2" (8.9cm)	AU
11-1201NS	7 1/2" (19.1cm)	Non-Stick	1.0mm	3 1/2" (8.9cm)	NS
11-1001	7 1/2" (19.1cm)	-	1.0mm	3 1/2" (8.9cm)	SS



Hardy Bayonet Bipolar Forceps with Stop, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1429AU	8 3/4" (22.2cm)	Non-Stick	2.0mm	4 1/2" (11.4cm)	AU IN
12-1432AU	8 3/4" (22.2cm)	Non-Stick	1.5mm	4 1/2" (11.4cm)	AU IN
12-1433AU	8 3/4" (22.2cm)	Non-Stick	1.2mm	4 1/2" (11.4cm)	AU IN
12-1434AU	8 3/4" (22.2cm)	Non-Stick	0.7mm	4 1/2" (11.4cm)	AU IN
12-1435AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	4 1/2" (11.4cm)	AU IN
12-1235NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	4 1/2" (11.4cm)	NS IN
12-1035	8 3/4" (22.2cm)	-	0.5mm	4 1/2" (11.4cm)	SS IN
12-1436AU	9 3/4" (24.8cm)	Non-Stick	0.5mm	5 1/2" (14cm)	AU IN
12-1437AU	9 3/4" (24.8cm)	Non-Stick	1.0mm	5 1/2" (14cm)	AU IN
12-1438AU	9 3/4" (24.8cm)	Non-Stick	1.5mm	5 1/2" (14cm)	AU IN
12-1236NS	9 3/4" (24.8cm)	Non-Stick	0.5mm	5 1/2" (14cm)	NS IN
12-1237NS	9 3/4" (24.8cm)	Non-Stick	1.0mm	5 1/2" (14cm)	NS IN
12-1238NS	9 3/4" (24.8cm)	Non-Stick	1.5mm	5 1/2" (14cm)	NS IN



Hardy Bayonet Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1130AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	4 1/2" (11.4cm)	AU
12-1131AU	8 3/4" (22.2cm)	Non-Stick, Angled Left and Up	1.5mm	4 1/2" (11.4cm)	AU
12-1132AU	8 3/4" (22.2cm)	Non-Stick, Angled Left	1.5mm	4 1/2" (11.4cm)	AU
12-1230NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	4 1/2" (11.4cm)	NS
12-1231NS	8 3/4" (22.2cm)	Non-Stick, Angled Left and Up	1.5mm	4 1/2" (11.4cm)	NS
12-1232NS	8 3/4" (22.2cm)	Non-Stick, Angled Left	1.5mm	4 1/2" (11.4cm)	NS
12-1030	8 3/4" (22.2cm)	-	0.5mm	4 1/2" (11.4cm)	SS



Yasargil Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1410AU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU IN
20-1411AU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU IN
20-1412AU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU IN
20-1413AU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU IN
20-1414AU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU IN
20-1415AU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU IN
20-1416AU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU IN
20-1417AU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU IN
20-1418AU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU IN
20-1419AU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU IN
20-1420AU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU IN
20-1421AU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU IN



Yasargil Bayonet Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1410NS	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	NS IN
20-1411NS	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	NS IN
20-1412NS	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	NS IN
20-1413NS	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	NS IN
20-1414NS	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	NS IN
20-1415NS	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	NS IN
20-1416NS	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	NS IN
20-1417NS	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	NS IN
20-1418NS	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	NS IN
20-1419NS	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	NS IN
20-1420NS	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	NS IN
20-1421NS	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	NS IN



20-1118AU

Yasargil Bayonet AURA™ Non-Stick Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1110AU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU
20-1111AU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU
20-1112AU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU
20-1113AU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU
20-1114AU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU
20-1115AU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU
20-1116AU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU
20-1117AU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU
20-1118AU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU
20-1119AU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU
20-1120AU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU
20-1121AU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU



20-1221NS

Yasargil Bayonet Non-Stick Bipolar Forceps


ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1210NS	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	NS
20-1211NS	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	NS
20-1212NS	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	NS
20-1213NS	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	NS
20-1214NS	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	NS
20-1215NS	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	NS
20-1216NS	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	NS
20-1217NS	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	NS
20-1218NS	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	NS
20-1219NS	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	NS
20-1220NS	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	NS
20-1221NS	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	NS



20-1018

Yasargil Bayonet Stainless Steel Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1010	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	SS
20-1011	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	SS
20-1012	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	SS
20-1013	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	SS
20-1014	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	SS
20-1015	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	SS
20-1016	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	SS
20-1017	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	SS
20-1018	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	SS
20-1019	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	SS
20-1020	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	SS
20-1021	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	SS





21-1444AU

3-Hole Yasargil Style Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
21-1442AU	6" (15.2cm)	-	0.2mm	1 3/8" (3.5cm)	AU IN
21-1406AU	6" (15.2cm)	-	0.4mm	1 3/8" (3.5cm)	AU IN
21-1407AU	6" (15.2cm)	-	0.7mm	1 3/8" (3.5cm)	AU IN
21-1408AU	6" (15.2cm)	-	1.0mm	1 3/8" (3.5cm)	AU IN
21-1409AU	6" (15.2cm)	-	1.3mm	1 3/8" (3.5cm)	AU IN
21-1443AU	7" (17.8cm)	-	0.2mm	2 3/8" (6cm)	AU IN
21-1410AU	7" (17.8cm)	-	0.4mm	2 3/8" (6cm)	AU IN
21-1411AU	7" (17.8cm)	-	0.7mm	2 3/8" (6cm)	AU IN
21-1412AU	7" (17.8cm)	-	1.0mm	2 3/8" (6cm)	AU IN
21-1413AU	7" (17.8cm)	-	1.3mm	2 3/8" (6cm)	AU IN
21-1444AU	7 3/4" (19.7cm)	-	0.2mm	3" (7.6cm)	AU IN
21-1414AU	7 3/4" (19.7cm)	-	0.4mm	3" (7.6cm)	AU IN
21-1415AU	7 3/4" (19.7cm)	-	0.7mm	3" (7.6cm)	AU IN
21-1416AU	7 3/4" (19.7cm)	-	1.0mm	3" (7.6cm)	AU IN
21-1417AU	7 3/4" (19.7cm)	-	1.3mm	3" (7.6cm)	AU IN
21-1445AU	8 1/2" (21.6cm)	-	0.2mm	3 3/4" (9.5cm)	AU IN
21-1418AU	8 1/2" (21.6cm)	-	0.4mm	3 3/4" (9.5cm)	AU IN
21-1419AU	8 1/2" (21.6cm)	-	0.7mm	3 3/4" (9.5cm)	AU IN
21-1420AU	8 1/2" (21.6cm)	-	1.0mm	3 3/4" (9.5cm)	AU IN
21-1421AU	8 1/2" (21.6cm)	-	1.3mm	3 3/4" (9.5cm)	AU IN
21-1446AU	9 1/4" (23.5cm)	-	0.2mm	4 1/2" (11.4cm)	AU IN
21-1422AU	9 1/4" (23.5cm)	-	0.4mm	4 1/2" (11.4cm)	AU IN
21-1423AU	9 1/4" (23.5cm)	-	0.7mm	4 1/2" (11.4cm)	AU IN
21-1424AU	9 1/4" (23.5cm)	-	1.0mm	4 1/2" (11.4cm)	AU IN
21-1425AU	9 1/4" (23.5cm)	-	1.3mm	4 1/2" (11.4cm)	AU IN
21-1447AU	10 1/4" (26cm)	-	0.2mm	5 1/2" (14cm)	AU IN
21-1426AU	10 1/4" (26cm)	-	0.4mm	5 1/2" (14cm)	AU IN
21-1427AU	10 1/4" (26cm)	-	0.7mm	5 1/2" (14cm)	AU IN
21-1428AU	10 1/4" (26cm)	-	1.0mm	5 1/2" (14cm)	AU IN
21-1429AU	10 1/4" (26cm)	-	1.3mm	5 1/2" (14cm)	AU IN



Malis Style Bayonet Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5401AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.5mm	3 1/4" (8.3cm)	AU IN
10-5402AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	3 1/4" (8.3cm)	AU IN
10-5403AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.0mm	3 1/4" (8.3cm)	AU IN
10-5405AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.25mm	3 1/4" (8.3cm)	AU IN
10-5401NS	8 3/4" (22.2cm)	Non-Stick, Insulated	1.5mm	3 1/4" (8.3cm)	NS IN
10-5402NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	3 1/4" (8.3cm)	NS IN
10-5403NS	8 3/4" (22.2cm)	Non-Stick, Insulated	1.0mm	3 1/4" (8.3cm)	NS IN
10-5405NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.25mm	3 1/4" (8.3cm)	NS IN
10-5101AU	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 1/4" (8.3cm)	AU
10-5102AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	AU
10-5103AU	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 1/4" (8.3cm)	AU
10-5105AU	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 1/4" (8.3cm)	AU
10-5201NS	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 1/4" (8.3cm)	NS
10-5202NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	NS
10-5203NS	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 1/4" (8.3cm)	NS
10-5205NS	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 1/4" (8.3cm)	NS
15-5101	8 3/4" (22.2cm)	Titanium	1.5mm	3 1/4" (8.3cm)	Ti
15-5102	8 3/4" (22.2cm)	Titanium	0.5mm	3 1/4" (8.3cm)	Ti
15-5103	8 3/4" (22.2cm)	Titanium	1.0mm	3 1/4" (8.3cm)	Ti



Malis Style Bayonet Bipolar Forceps with Stop, Angled Up

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5404AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	3 1/4" (8.3cm)	AU IN
10-5404NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	3 1/4" (8.3cm)	NS IN
10-5104AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	AU
10-5204NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	NS
15-5104	8 3/4" (22.2cm)	Titanium	0.5mm	3 1/4" (8.3cm)	Ti



Malis Style Bayonet Non-Stick Bipolar Forceps with Lightweight Handle

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5400AU	8 3/4" (22.2cm)	Insulated	1.0mm	3 1/4" (8.3cm)	AU IN
10-5400NS	8 3/4" (22.2cm)	Insulated	1.0mm	3 1/4" (8.3cm)	NS IN
10-5100AU	8 3/4" (22.2cm)	-	1.0mm	3 1/4" (8.3cm)	AU
10-5200NS	8 3/4" (22.2cm)	-	1.0mm	3 1/4" (8.3cm)	NS



Kirwan Round Handle Bayonet AURA™ Non-Stick Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-5100AU	8 1/2" (21.6cm)	-	0.7mm	3" (7.6cm)	AU
12-5101AU	8 1/2" (21.6cm)	-	1.0mm	3" (7.6cm)	AU
12-5102AU	8 1/2" (21.6cm)	-	1.3mm	3" (7.6cm)	AU
12-5103AU	8 1/2" (21.6cm)	-	1.5mm	3" (7.6cm)	AU
12-5104AU	9 1/2" (24.1cm)	-	0.7mm	4" (10.2cm)	AU
12-5105AU	9 1/2" (24.1cm)	-	1.0mm	4" (10.2cm)	AU
12-5106AU	9 1/2" (24.1cm)	-	1.3mm	4" (10.2cm)	AU
12-5107AU	9 1/2" (24.1cm)	-	1.5mm	4" (10.2cm)	AU
12-5108AU	10 1/2" (26.7cm)	-	0.7mm	5" (12.7cm)	AU
12-5109AU	10 1/2" (26.7cm)	-	1.0mm	5" (12.7cm)	AU
12-5110AU	10 1/2" (26.7cm)	-	1.3mm	5" (12.7cm)	AU
12-5111AU	10 1/2" (26.7cm)	-	1.5mm	5" (12.7cm)	AU



Minimally Invasive AURA™ Non-Stick Bipolar Forceps with Stop, Parallel Working Length, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
23-1413AU	8 1/2" (21.6cm)	Straight	1.2mm	4 1/4" (10.8cm)	AU IN
23-1411AU	8 1/2" (21.6cm)	Straight	0.7mm	4 1/4" (10.8cm)	AU IN
23-1431AU	8 1/2" (21.6cm)	Angled Up 45°	0.7mm	4 1/4" (10.8cm)	AU IN
23-1417AU	9 1/2" (24.1cm)	Straight	1.2mm	5 1/4" (13.3cm)	AU IN
23-1415AU	9 1/2" (24.1cm)	Straight	0.7mm	5 1/4" (13.3cm)	AU IN
23-1432AU	9 1/2" (24.1cm)	Angled Up 45°	0.7mm	5 1/4" (13.3cm)	AU IN
23-1421AU	10 1/2" (26.7cm)	Straight	1.2mm	6 1/4" (15.9cm)	AU IN
23-1419AU	10 1/2" (26.7cm)	Straight	0.7mm	6 1/4" (15.9cm)	AU IN
23-1433AU	10 1/2" (26.7cm)	Angled Up 45°	0.7mm	6 1/4" (15.9cm)	AU IN



Reverse Action Style AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
23-1451AU	10" (25.4cm)	-	0.7mm	6" (15.2cm)	AU IN
23-1452AU	10" (25.4cm)	-	1.0mm	6" (15.2cm)	AU IN



Titanium Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
15-1400AU	7 1/2" (19.1cm)	Cushing	0.7mm	3 1/2" (8.9cm)	Ti AU IN
15-2404AU	7 1/2" (19.1cm)	Cushing	2.0mm	3 1/2" (8.9cm)	Ti AU IN
15-1403AU	7 3/4" (19.7cm)	Scoville-Greenwood	1.5mm	2 3/4" (7cm)	Ti AU IN
15-1432AU	8 3/4" (22.2cm)	Hardy with Stop	1.5mm	4 1/2" (11.4cm)	Ti AU IN
15-1433AU	8 3/4" (22.2cm)	Hardy with Stop	1.2mm	4 1/2" (11.4cm)	Ti AU IN
15-1434AU	8 3/4" (22.2cm)	Hardy with Stop	0.7mm	4 1/2" (11.4cm)	Ti AU IN
15-1435AU	8 3/4" (22.2cm)	Hardy with Stop	0.5mm	4 1/2" (11.4cm)	Ti AU IN
15-1436AU	9 3/4" (24.8cm)	Hardy with Stop	0.5mm	5 1/2" (14cm)	Ti AU IN
15-1437AU	9 3/4" (24.8cm)	Hardy with Stop	1.0mm	5 1/2" (14cm)	Ti AU IN
15-1438AU	9 3/4" (24.8cm)	Hardy with Stop	1.5mm	5 1/2" (14cm)	Ti AU IN
15-5401AU	8 3/4" (22.2cm)	with Stop	1.5mm	3 3/4" (9.5cm)	Ti AU IN
15-5402AU	8 3/4" (22.2cm)	with Stop	0.5mm	3 3/4" (9.5cm)	Ti AU IN
15-5403AU	8 3/4" (22.2cm)	with Stop	1.0mm	3 3/4" (9.5cm)	Ti AU IN
15-5404AU	8 3/4" (22.2cm)	with Stop, Angled Up	0.5mm	3 3/4" (9.5cm)	Ti AU IN



Narrow Line Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
24-1430AU	7" (17.8cm)	-	0.1mm	2 3/8" (6cm)	AU IN
24-1431AU	7" (17.8cm)	-	0.2mm	2 3/8" (6cm)	AU IN
24-1432AU	7" (17.8cm)	-	0.5mm	2 3/8" (6cm)	AU IN
24-1433AU	7" (17.8cm)	-	0.7mm	2 3/8" (6cm)	AU IN
24-1434AU	7" (17.8cm)	-	1.0mm	2 3/8" (6cm)	AU IN
24-1435AU	7" (17.8cm)	-	1.2mm	2 3/8" (6cm)	AU IN
24-1437AU	7" (17.8cm)	-	2.0mm	2 3/8" (6cm)	AU IN
24-1440AU	8" (20.3cm)	-	0.1mm	3 3/8" (8.5cm)	AU IN
24-1441AU	8" (20.3cm)	-	0.2mm	3 3/8" (8.5cm)	AU IN
24-1442AU	8" (20.3cm)	-	0.5mm	3 3/8" (8.5cm)	AU IN
24-1443AU	8" (20.3cm)	-	0.7mm	3 3/8" (8.5cm)	AU IN
24-1444AU	8" (20.3cm)	-	1.0mm	3 3/8" (8.5cm)	AU IN
24-1445AU	8" (20.3cm)	-	1.2mm	3 3/8" (8.5cm)	AU IN
24-1447AU	8" (20.3cm)	-	2.0mm	3 3/8" (8.5cm)	AU IN
24-1450AU	8 3/4" (22.2cm)	-	0.1mm	4 1/8" (10.5cm)	AU IN
24-1451AU	8 3/4" (22.2cm)	-	0.2mm	4 1/8" (10.5cm)	AU IN
24-1452AU	8 3/4" (22.2cm)	-	0.5mm	4 1/8" (10.5cm)	AU IN
24-1453AU	8 3/4" (22.2cm)	-	0.7mm	4 1/8" (10.5cm)	AU IN
24-1454AU	8 3/4" (22.2cm)	-	1.0mm	4 1/8" (10.5cm)	AU IN
24-1455AU	8 3/4" (22.2cm)	-	1.2mm	4 1/8" (10.5cm)	AU IN
24-1457AU	8 3/4" (22.2cm)	-	2.0mm	4 1/8" (10.5cm)	AU IN
24-1458AU	8 3/4" (22.2cm)	Angled Up	1.0mm	4 1/8" (10.5cm)	AU IN
24-1459AU	8 3/4" (22.2cm)	Angled Down	1.0mm	4 1/8" (10.5cm)	AU IN
24-1460AU	10" (25.4cm)	-	0.1mm	5 1/2" (14cm)	AU IN
24-1461AU	10" (25.4cm)	-	0.2mm	5 1/2" (14cm)	AU IN
24-1462AU	10" (25.4cm)	-	0.5mm	5 1/2" (14cm)	AU IN
24-1463AU	10" (25.4cm)	-	0.7mm	5 1/2" (14cm)	AU IN
24-1464AU	10" (25.4cm)	-	1.0mm	5 1/2" (14cm)	AU IN
24-1465AU	10" (25.4cm)	-	1.2mm	5 1/2" (14cm)	AU IN
24-1467AU	10" (25.4cm)	-	2.0mm	5 1/2" (14cm)	AU IN
24-1468AU	10" (25.4cm)	Angled Up	1.0mm	5 1/2" (14cm)	AU IN
24-1469AU	10" (25.4cm)	Angled Down	1.0mm	5 1/2" (14cm)	AU IN



Scoville-Greenwood Bayonet Irrigating Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1603AU	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	AU IN
10-1603NS	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	NS IN
10-1302	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	SS
10-1303	7 3/4" (19.7cm)	Insulated	1.5mm	2 3/4" (7cm)	SS IN

CUSHING IRRIGATING BIPOLAR FORCEPS



Cushing Bayonet Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-2604AU	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	AU IN
10-2604NS	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	NS IN
10-2304	7 1/2" (19.1cm)	-	2.0mm	3 1/2" (8.9cm)	SS IN
12-1600AU	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	AU IN
12-1600NS	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	NS IN
12-1300	7 1/2" (19.1cm)	-	0.7mm	3 1/2" (8.9cm)	SS IN

GERALD IRRIGATING BIPOLAR FORCEPS



Gerald Bayonet Irrigating Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
11-1603AU	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	AU IN
11-1603NS	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	NS IN
11-1301	7 1/2" (19.1cm)	-	1.0mm	3 1/2" (8.9cm)	SS
11-1303	7 1/2" (19.1cm)	Insulated	1.0mm	3 1/2" (8.9cm)	SS IN

HARDY IRRIGATING BIPOLAR FORCEPS



Hardy Bayonet Irrigating Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1629AU	8 3/4" (22.2cm)	Non-Stick, Insulated	2.0mm	4 1/2" (11.4cm)	AU IN
12-1632AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.5mm	4 1/2" (11.4cm)	AU IN
12-1633AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.2mm	4 1/2" (11.4cm)	AU IN
12-1634AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.7mm	4 1/2" (11.4cm)	AU IN
12-1635AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	4 1/2" (11.4cm)	AU IN
12-1636AU	9 3/4" (24.8cm)	Non-Stick, Insulated	0.5mm	5 1/2" (14cm)	AU IN
12-1637AU	9 3/4" (24.8cm)	Non-Stick, Insulated	1.0mm	5 1/2" (14cm)	AU IN
12-1638AU	9 3/4" (24.8cm)	Non-Stick, Insulated	1.5mm	5 1/2" (14cm)	AU IN
12-1635NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	4 1/2" (11.4cm)	NS IN
12-1330	8 3/4" (22.2cm)	-	0.5mm	4 1/2" (11.4cm)	SS
12-1335	8 3/4" (22.2cm)	Insulated	0.5mm	4 1/2" (11.4cm)	SS IN



Malis Style Bayonet Irrigating Bipolar Forceps with Stop, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5601AU	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 1/4" (8.3cm)	AU IN
10-5602AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	AU IN
10-5603AU	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 1/4" (8.3cm)	AU IN
10-5605AU	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 1/4" (8.3cm)	AU IN
10-5601NS	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 1/4" (8.3cm)	NS IN
10-5602NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	NS IN
10-5603NS	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 1/4" (8.3cm)	NS IN
10-5605NS	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 1/4" (8.3cm)	NS IN
15-5301	8 3/4" (22.2cm)	Titanium	1.5mm	3 1/4" (8.3cm)	Ti IN
15-5302	8 3/4" (22.2cm)	Titanium	0.5mm	3 1/4" (8.3cm)	Ti IN
15-5303	8 3/4" (22.2cm)	Titanium	1.0mm	3 1/4" (8.3cm)	Ti IN
15-5310		Stylets for Irrigating Forceps, 5/pk			




Malis Style Bayonet Irrigating Bipolar Forceps with Stop, Angled Up, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5604AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	AU IN
10-5604NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	NS IN
15-5304	8 3/4" (22.2cm)	Titanium	0.5mm	3 1/4" (8.3cm)	Ti IN



Yasargil Bayonet AURA™ Non-Stick Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1610AU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU IN I
20-1611AU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU IN I
20-1612AU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU IN I
20-1613AU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU IN I
20-1614AU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU IN I
20-1615AU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU IN I
20-1616AU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU IN I
20-1617AU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU IN I
20-1618AU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU IN I
20-1619AU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU IN I
20-1620AU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU IN I
20-1621AU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU IN I





Yasargil Bayonet Non-Stick Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1610NS	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	NS IN 
20-1611NS	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	NS IN 
20-1612NS	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	NS IN 
20-1613NS	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	NS IN 
20-1614NS	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	NS IN 
20-1615NS	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	NS IN 
20-1616NS	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	NS IN 
20-1617NS	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	NS IN 
20-1618NS	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	NS IN 
20-1619NS	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	NS IN 
20-1620NS	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	NS IN 
20-1621NS	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	NS IN 



Yasargil Bayonet Irrigating Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1310	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	SS 
20-1311	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	SS 
20-1312	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	SS 
20-1313	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	SS 
20-1314	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	SS 
20-1315	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	SS 
20-1316	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	SS 
20-1317	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	SS 
20-1318	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	SS 
20-1319	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	SS 
20-1320	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	SS 
20-1321	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	SS 



Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated, with EU Connector

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1403EAU	7 3/4" (19.7cm)	Scoville-Greenwood	1.5mm	2 3/4" (7cm)	AU IN
12-1400EAU	7 1/2" (19.1cm)	Cushing	0.7mm	3 1/2" (8.9cm)	AU IN
10-2404EAU	7 1/2" (19.1cm)	Cushing	2.0mm	3 1/2" (8.9cm)	AU IN
10-5400EAU	8 3/4" (22.2cm)	Lightweight Handle	1.0mm	3 3/4" (9.5cm)	AU IN
10-5401EAU	8 3/4" (22.2cm)	With Stop	1.5mm	3 3/4" (9.5cm)	AU IN
10-5402EAU	8 3/4" (22.2cm)	With Stop	0.5mm	3 3/4" (9.5cm)	AU IN
10-5403EAU	8 3/4" (22.2cm)	With Stop	1.0mm	3 3/4" (9.5cm)	AU IN
10-5404EAU	8 3/4" (22.2cm)	With Stop, Angled Up	0.5mm	3 3/4" (9.5cm)	AU IN
12-1432EAU	8 3/4" (22.2cm)	Hardy, with Stop	1.5mm	4 1/2" (11.4cm)	AU IN
12-1433EAU	8 3/4" (22.2cm)	Hardy, with Stop	1.2mm	4 1/2" (11.4cm)	AU IN
12-1434EAU	8 3/4" (22.2cm)	Hardy, with Stop	0.7mm	4 1/2" (11.4cm)	AU IN
12-1435EAU	8 3/4" (22.2cm)	Hardy, with Stop	0.5mm	4 1/2" (11.4cm)	AU IN
12-1436EAU	9 3/4" (24.8cm)	Hardy, with Stop	0.5mm	5 1/2" (14cm)	AU IN
12-1437EAU	9 3/4" (24.8cm)	Hardy, with Stop	1.0mm	5 1/2" (14cm)	AU IN
12-1438EAU	9 3/4" (24.8cm)	Hardy, with Stop	1.5mm	5 1/2" (14cm)	AU IN



Yasargil Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated, with EU Connector

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1410EAU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU IN
20-1411EAU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU IN
20-1412EAU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU IN
20-1413EAU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU IN
20-1414EAU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU IN
20-1415EAU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU IN
20-1416EAU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU IN
20-1417EAU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU IN
20-1418EAU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU IN
20-1419EAU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU IN
20-1420EAU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU IN
20-1421EAU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU IN




3-Hole Yasargil Style Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated, with EU Connector

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
21-1442EAU	6" (15.2cm)	-	0.2mm	1 3/8" (3.5cm)	AU IN
21-1406EAU	6" (15.2cm)	-	0.4mm	1 3/8" (3.5cm)	AU IN
21-1407EAU	6" (15.2cm)	-	0.7mm	1 3/8" (3.5cm)	AU IN
21-1408EAU	6" (15.2cm)	-	1.0mm	1 3/8" (3.5cm)	AU IN
21-1409EAU	6" (15.2cm)	-	1.3mm	1 3/8" (3.5cm)	AU IN
21-1443EAU	7" (17.8cm)	-	0.2mm	2 3/8" (6cm)	AU IN
21-1410EAU	7" (17.8cm)	-	0.4mm	2 3/8" (6cm)	AU IN
21-1411EAU	7" (17.8cm)	-	0.7mm	2 3/8" (6cm)	AU IN
21-1412EAU	7" (17.8cm)	-	1.0mm	2 3/8" (6cm)	AU IN
21-1413EAU	7" (17.8cm)	-	1.3mm	2 3/8" (6cm)	AU IN
21-1444EAU	7 3/4" (19.7cm)	-	0.2mm	3" (7.6cm)	AU IN
21-1414EAU	7 3/4" (19.7cm)	-	0.4mm	3" (7.6cm)	AU IN
21-1415EAU	7 3/4" (19.7cm)	-	0.7mm	3" (7.6cm)	AU IN
21-1416EAU	7 3/4" (19.7cm)	-	1.0mm	3" (7.6cm)	AU IN
21-1417EAU	7 3/4" (19.7cm)	-	1.3mm	3" (7.6cm)	AU IN
21-1445EAU	8 1/2" (21.6cm)	-	0.2mm	3 3/4" (9.5cm)	AU IN
21-1418EAU	8 1/2" (21.6cm)	-	0.4mm	3 3/4" (9.5cm)	AU IN
21-1419EAU	8 1/2" (21.6cm)	-	0.7mm	3 3/4" (9.5cm)	AU IN
21-1420EAU	8 1/2" (21.6cm)	-	1.0mm	3 3/4" (9.5cm)	AU IN
21-1421EAU	8 1/2" (21.6cm)	-	1.3mm	3 3/4" (9.5cm)	AU IN
21-1446EAU	9 1/4" (23.5cm)	-	0.2mm	4 1/2" (11.4cm)	AU IN
21-1422EAU	9 1/4" (23.5cm)	-	0.4mm	4 1/2" (11.4cm)	AU IN
21-1423EAU	9 1/4" (23.5cm)	-	0.7mm	4 1/2" (11.4cm)	AU IN
21-1424EAU	9 1/4" (23.5cm)	-	1.0mm	4 1/2" (11.4cm)	AU IN
21-1425EAU	9 1/4" (23.5cm)	-	1.3mm	4 1/2" (11.4cm)	AU IN
21-1447EAU	10 1/4" (26cm)	-	0.2mm	5 1/2" (14cm)	AU IN
21-1426EAU	10 1/4" (26cm)	-	0.4mm	5 1/2" (14cm)	AU IN
21-1427EAU	10 1/4" (26cm)	-	0.7mm	5 1/2" (14cm)	AU IN
21-1428EAU	10 1/4" (26cm)	-	1.0mm	5 1/2" (14cm)	AU IN
21-1429EAU	10 1/4" (26cm)	-	1.3mm	5 1/2" (14cm)	AU IN





Narrow Line Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated, with EU Connector

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
24-1430EAU	7" (17.8cm)	-	0.1mm	2 3/8" (6cm)	AU IN
24-1431EAU	7" (17.8cm)	-	0.2mm	2 3/8" (6cm)	AU IN
24-1432EAU	7" (17.8cm)	-	0.5mm	2 3/8" (6cm)	AU IN
24-1433EAU	7" (17.8cm)	-	0.7mm	2 3/8" (6cm)	AU IN
24-1434EAU	7" (17.8cm)	-	1.0mm	2 3/8" (6cm)	AU IN
24-1435EAU	7" (17.8cm)	-	1.2mm	2 3/8" (6cm)	AU IN
24-1437EAU	7" (17.8cm)	-	2.0mm	2 3/8" (6cm)	AU IN
24-1440EAU	8" (20.3cm)	-	0.1mm	3 3/8" (8.5cm)	AU IN
24-1441EAU	8" (20.3cm)	-	0.2mm	3 3/8" (8.5cm)	AU IN
24-1442EAU	8" (20.3cm)	-	0.5mm	3 3/8" (8.5cm)	AU IN
24-1443EAU	8" (20.3cm)	-	0.7mm	3 3/8" (8.5cm)	AU IN
24-1444EAU	8" (20.3cm)	-	1.0mm	3 3/8" (8.5cm)	AU IN
24-1445EAU	8" (20.3cm)	-	1.2mm	3 3/8" (8.5cm)	AU IN
24-1447EAU	8" (20.3cm)	-	2.0mm	3 3/8" (8.5cm)	AU IN
24-1450EAU	8 3/4" (22.2cm)	-	0.1mm	4 1/8" (10.5cm)	AU IN
24-1451EAU	8 3/4" (22.2cm)	-	0.2mm	4 1/8" (10.5cm)	AU IN
24-1452EAU	8 3/4" (22.2cm)	-	0.5mm	4 1/8" (10.5cm)	AU IN
24-1453EAU	8 3/4" (22.2cm)	-	0.7mm	4 1/8" (10.5cm)	AU IN
24-1454EAU	8 3/4" (22.2cm)	-	1.0mm	4 1/8" (10.5cm)	AU IN
24-1455EAU	8 3/4" (22.2cm)	-	1.2mm	4 1/8" (10.5cm)	AU IN
24-1457EAU	8 3/4" (22.2cm)	-	2.0mm	4 1/8" (10.5cm)	AU IN
24-1458EAU	8 3/4" (22.2cm)	Angled Up	1.0mm	4 1/8" (10.5cm)	AU IN
24-1459EAU	8 3/4" (22.2cm)	Angled Down	1.0mm	4 1/8" (10.5cm)	AU IN
24-1460EAU	10" (25.4cm)	-	0.1mm	5 1/2" (14cm)	AU IN
24-1461EAU	10" (25.4cm)	-	0.2mm	5 1/2" (14cm)	AU IN
24-1462EAU	10" (25.4cm)	-	0.5mm	5 1/2" (14cm)	AU IN
24-1463EAU	10" (25.4cm)	-	0.7mm	5 1/2" (14cm)	AU IN
24-1464EAU	10" (25.4cm)	-	1.0mm	5 1/2" (14cm)	AU IN
24-1465EAU	10" (25.4cm)	-	1.2mm	5 1/2" (14cm)	AU IN
24-1467EAU	10" (25.4cm)	-	2.0mm	5 1/2" (14cm)	AU IN
24-1468EAU	10" (25.4cm)	Angled Up	1.0mm	5 1/2" (14cm)	AU IN
24-1469EAU	10" (25.4cm)	Angled Down	1.0mm	5 1/2" (14cm)	AU IN



ITEM #	DESCRIPTION
10-9090	Sterilizing Tray for Six (6) Bayonet Forceps

ITEM #	DESCRIPTION
10-9091	Sterilizing Tray for Twelve (12) Bayonet Forceps



ITEM #	DESCRIPTION
10-9093	Sterilizing Tray for Two (2) Bayonet Forceps

ITEM #	DESCRIPTION
10-9095	Silicone Inserts for the 10-9090 and 10-9091 (1 set of 6) (2 sets required for 10-9091)
10-9096	Locks for the 10-9090, 10-9091 and 10-9093

BIPOLAR PENCILS

Kirwan Surgical Products manufactures a variety of bipolar pencils for performing pinpoint hemostasis in delicate tissue structures. The main feature of the bipolar pencil is the insulated wire and sleeve that form the coaxial harness assembly. The harness assembly extends from the rear pins and continues out the front of the instrument. The area of coagulation is restricted to the space between the two elements. This permits discrete coagulation without excessive damage to peripheral tissue structures.


Bipolar pencils are single-piece injection molded – solid throughout.

The solid single-piece construction eliminates potential fluid seepage that could lead to a product failure. The seamless design provides electrical insulation to the internal components. The knurled finish on the exterior surface of the pencil gives a non-slip grip, and an indicator is located at 12:00 on the front end confirming tip orientation. The single piece design also allows the pencil to be injection molded with autoclavable materials for repeated use as well as low cost disposable materials. Most of the bipolar pencil product line is available in both reusable and disposable styles.

Bipolar pencils are manufactured in a variety of styles and wire gauges, including: 18 gauge, 20 gauge, 20/23 gauge tapered, 23 gauge, 25 gauge and 27 gauge.


Reusable pencils:

The tip configurations and working lengths vary throughout the product line and, like all Kirwan reusable products, the features of the reusable bipolar pencils can be customized to suit any specific surgical indication.




Disposable Bipolar Pencil

ITEM #	TOTAL LENGTH	DESCRIPTION	GAUGE	WORKING LENGTH	FEATURES
14-5000	-	Non-Stick, Straight	18	-	
14-5000N	-	Non-Stick, Straight, Black	18	-	
14-5002	-	Non-Stick, Curved	18	-	
14-5004	-	Straight	20	-	
14-5006	-	Tapered Tip, Sharp	20/23	-	
14-5006N	-	Tapered Tip, Sharp, Black	20/23	-	
14-5007	-	Straight	23	-	
14-5007L	-	Straight, Long	23	-	
14-5009	-	Tapered Tip, Blunt	20/23	-	
14-5010	-	Widestroke Dual Coag Non-Stick, 30° Angle	18	-	
14-5011	-	Straight	25	-	
14-5011L	-	Straight, Long	25	-	
14-5027	-	Straight	27	-	




Reusable TPR Bipolar Pencil

ITEM #	TOTAL LENGTH	DESCRIPTION	GAUGE	WORKING LENGTH	FEATURES
14-7000	-	Non-Stick, Straight	18	-	NS
14-7002	-	Non-Stick, Curved	18	-	NS
14-7006	-	Straight	20	-	-
14-7007	-	Straight	23	-	-
14-7008	-	Tapered Tip, Sharp	20/23	-	-
14-7009	-	Tapered Tip, Blunt	20/23	-	-
14-7010	-	Widestroke Dual Coag Non-Stick, 30° Angle	18	-	NS
14-7012	7" (17.8cm)	Sinusoidal Non-Stick, Straight	18	3" (7.6cm)	NS
14-7013	-	10mm Extended Center Tip	20	-	-
14-7014	7" (17.8cm)	Sinusoidal Non-Stick, Angled	18	3" (7.6cm)	NS
14-7016	8" (20.3cm)	Non-Stick, 10° Angled, Pencil Point Tip	18	4" (10.2cm)	NS
14-7017	12" (30.5cm)	Non-Stick, Dome tip	18	8" (20.3cm)	NS
14-7018	15 3/4" (40cm)	Non-Stick, 10° Angled, Pencil Point Tip	18	11 3/4" (29.8cm)	NS



Side by Side Probes

ITEM #	OVERALL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
16-5030	8 1/4" (21cm)	Vertical	-	-	-
16-5031	8 1/4" (21cm)	Horizontal	-	-	-




SUCTION COAGULATORS

Kirwan Surgical Products offers both disposable bipolar and disposable monopolar suction coagulators.

The disposable bipolar suction coagulators are offered in two lengths with two diameters, are malleable and are used with a standard bipolar cord.

The disposable monopolar suction coagulators are offered in two lengths and include an attached cord with a standard resectoscope pin connector.



Disposable Bipolar Suction Coagulators

ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
14-9000	7 1/2" (19.1cm)	8 French	IN
14-9001	7 1/2" (19.1cm)	11 French	IN
14-9002	5 1/2" (14cm)	13 French	IN
14-9004	5 1/2" (14cm)	15 French	IN
14-9006	7 1/2" (19.1cm)	13 French	IN
14-9008	7 1/2" (19.1cm)	15 French	IN
14-9020	5 1/2" (14cm)	15 1/2 French, Angled/Chiseled Tip	IN
14-9030	11" (27.9cm)	8 French	IN
14-9031	11" (27.9cm)	11 French	IN
14-9032	11" (27.9cm)	13 French	IN
14-9034	11" (27.9cm)	15 French	IN




Disposable Monopolar Suction Coagulators with 10' Resectoscope Pin Cord

ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-5200	5 1/2" (14cm)	10 French	IN
30-5201	8" (20.3cm)	10 French	IN



MONOPOLAR FORCEPS

Kirwan Surgical Products offers a variety of reusable and disposable bayonet monopolar forceps with serrated tips. Kirwan's monopolar forceps are also offered in a straight version and a handswitch version.




Reusable Straight Monopolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
30-3000	4 1/2" (11.4cm)	Jewelers, Smooth	0.4mm	-	SS IN
30-3010	4 3/4" (12.1cm)	Adson, Smooth	1.0mm	-	SS IN
30-3012	7" (17.8cm)	Potts-Smith, Serrated	2.0mm	-	SS IN
30-3014	8 1/4" (21cm)	Potts-Smith, Serrated	2.0mm	-	SS IN
30-3016	9 1/2" (24.1cm)	Potts-Smith, Serrated	2.0mm	-	SS IN



Reusable Bayonet Monopolar Forceps, Insulated, Serrated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
30-2000	5 1/4" (13.3cm)	-	1.5mm	2 1/8" (5.4cm)	SS IN
30-2002	6 1/4" (15.9cm)	-	1.5mm	3" (7.6cm)	SS IN
30-2004	7 1/2" (19.1cm)	-	2.0mm	3 1/8" (7.9cm)	SS IN
30-2008	8 1/4" (21cm)	-	2.0mm	4" (10.2cm)	SS IN




Reusable Bayonet Monopolar Forceps, Insulated, Angled, Serrated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
30-2005	7 1/2" (19.1cm)	-	2.0mm	3 1/8" (7.9cm)	SS IN
30-2009	8 1/4" (21cm)	-	2.0mm	4" (10.2cm)	SS IN



Disposable Bayonet Monopolar Forceps, Insulated, Serrated with 10' Cord

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-8020C	9" (22.9cm)	Straight	2.0mm	4 1/4" (10.8cm)	SS IN
19-8021C	9" (22.9cm)	-	1.0mm	4 1/4" (10.8cm)	SS IN
19-8025C	9" (22.9cm)	Angled Up	2.0mm	4 1/4" (10.8cm)	SS IN
19-8026C	9" (22.9cm)	Curved	1.0mm	4 1/4" (10.8cm)	SS IN



Handswitch Monopolar Forceps, Insulated, Serrated, with 10' Cord

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
30-7000	5 1/2" (14cm)	-	2.0mm	3 1/8" (7.9cm)	SS IN
30-7001	5 1/2" (14cm)	Curved	2.0mm	3 1/8" (7.9cm)	SS IN
30-7002	7 1/2" (19.1cm)	-	2.0mm	3 1/4" (8.3cm)	SS IN
30-7003	7 1/2" (19.1cm)	Curved	2.0mm	3 1/4" (8.3cm)	SS IN
30-7004	8 1/2" (21.6cm)	-	2.0mm	4" (10.2cm)	SS IN
30-7005	8 1/2" (21.6cm)	Curved	2.0mm	4" (10.2cm)	SS IN


MICRODISSECTION NEEDLES, ELECTRODES & HANDLES



By design, Kirwan Surgical Products' Microdissection needles are effective at focusing monopolar energy on the target tissue, thereby achieving a precise cut with minimal burning or charring and minimal damage to peripheral tissue.

The tungsten needle will withstand the rigors of monopolar electrosurgery while maintaining an extremely sharp point. The needle is insulated with a high temperature dielectric coating confining the energy to the tip.

Also set into a stainless steel holder, the tungsten needle fits a standard cutting/coagulation handpiece.




Disposable Tungsten Microdissection Needle, Insulated, Straight

ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-8000	1 1/4" (3.2cm)	-	IN
30-8002	2" (5.1cm)	Extra Fine	IN
30-8004	5 1/2" (14cm)	-	IN
30-8006	1 5/8" (4.1cm)	-	IN
30-8008	2" (5.1cm)	-	IN
30-8010	2 1/2" (6.4cm)	-	IN
30-8011	4 5/8" (11.7cm)	-	IN
30-8013	6 5/8" (16.8cm)	-	IN




ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-8015	4" (10.2cm)	Insulated, Curved	IN



Disposable Tungsten Microdissection Needle, Insulated, Angled 45°

ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-8007	1 5/8" (4.1cm)	-	IN
30-8009	2" (5.1cm)	-	IN
30-8012	4 1/2" (11.4cm)	-	IN
30-8014	6 1/2" (16.5cm)	-	IN
30-8017	4 7/8" (12.4cm)	-	IN
30-8018	6 7/8" (17.5cm)	-	IN



ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-8016	5 7/8" (14.9cm)	Insulated, Curved	IN



30-6011



Disposable Monopolar Electrode, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-6011	30.2cm	Tapered Tip	IN
30-6012	30.2cm	Blunt Tip	IN

30-6001



Reusable Monopolar Electrode, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-6001	15" (38.1cm)	Hook Tip	IN
30-6002	15" (38.1cm)	Spoon Tip	IN
30-6003	15" (38.1cm)	Spatula Tip	IN
30-6004	15" (38.1cm)	Knife Tip	IN

30-4003



Reusable Monopolar Chuck Handle


ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-4000	6" (15.2cm)	With 6' Cord	-
30-4001	6" (15.2cm)	With 10' Cord	-
30-4002	6" (15.2cm)	With 15' Cord	-
30-4003	8 1/2" (21.6cm)	With 6' Cord	-
30-4004	8 1/2" (21.6cm)	With 10' Cord	-
30-4005	8 1/2" (21.6cm)	With 15' Cord	-

30-4100




Reusable Monopolar Cut & Coag Push Button Pencil

ITEM #	TOTAL LENGTH	DESCRIPTION	FEATURES
30-4100	-	With 10' Cord	-



MISCELLANEOUS

Kirwan Surgical Products offers a variety of miscellaneous items including disposable battery cauteries, reusable I/A Handpieces, Bankart instruments and sterilizing trays for 2, 6, and 12 bayonet forceps.





Reusable I/A Handpiece

ITEM #	DESCRIPTION	PORT
13-5000	Straight	0.3mm Aspiration Port
13-5010	Curved 45 °	0.3mm Aspiration Port
13-5020	Binkhorst-type	0.3mm Aspiration Port
13-5040	Curved 90 °	0.3mm Aspiration Port
13-5050	Curved Shaft	0.3mm Aspiration Port
13-5030	Irrigation or Aspiration	



Reusable Bimanual Handpiece

ITEM #	DESCRIPTION	GAUGE	PORT
13-5070	Irrigation, Curved	21	Dual 0.5mm Side Ports
13-5071	Irrigation, Curved	23	Dual 0.5mm Side Ports
13-5080	Aspiration, Curved	23	0.3mm Aspiration Port

50-1010 Basic Set with Sterilizing Case

A	50-1004	7 1/2" Curved Awl
B	50-1005	7 1/2" Curved Hook
C	50-1007	7 1/2" Ligature Carrier
D	50-1002	8 1/4" Curved Spike #2
E	50-1003	7 3/4" Glenoid Reaming Forceps
F	50-1000	7" Improved Humeral Head Retractor
G	50-1001	10" Capsule Retractor
H	50-1006	10 1/2" Bone Skid
I	50-1009	Sterilizing Case



50-1017 Complete Set with Sterilizing Case

Complete set includes basic set plus:

J	50-1011	7" Capsule Fork (Pickle Fork)
K	50-1012	11" Muscle Retractor
L	50-1013	8 1/4" Scaphoid Gouge
M	50-1014	7 1/2" Fine Curved Awl
N	50-1015	7 1/2" Curved Spike #3
O	50-1016	Expanded Sterilizing Case

RETRACTORS



50-1020




50-2538

ITEM #	DESCRIPTION
50-1020	Fukuda Retractor
50-2538	Dual Prong Capsule Retractor




Disposable Battery Caутery


ITEM #	DESCRIPTION	FEATURES
41-6120	Low Temperature, Fine Tip	
41-6125	Variable Low Temperature, Fine Tip	
41-6130	High Temperature, Loop Tip	
41-6140	High Temperature, Fine Tip	
41-6145	Variable High Temperature, Fine Tip	



ITEM #	DESCRIPTION
10-9090	Sterilizing Tray for Six (6) Bayonet Forceps



ITEM #	DESCRIPTION
10-9091	Sterilizing Tray for Twelve (12) Bayonet Forceps



ITEM #	DESCRIPTION
10-9093	Sterilizing Tray for Two (2) Bayonet Forceps

ITEM #	DESCRIPTION
10-9095	Silicone Inserts for the 10-9090 and 10-9091 (1 set of 6) (2 sets required for 10-9091)
10-9096	Locks for the 10-9090, 10-9091 and 10-9093



INDEX

Kirwan #	Page #	Kirwan #	Page #	Kirwan #	Page #
10-1002	31	10-4602	9	10-9090	53, 72
10-1003	31	10-4602A	9	10-9091	53, 72
10-1102AU	31	10-4602J	12	10-9093	53, 72
10-1202NS	31	10-4611	9	10-9095	53, 72
10-1203NS	31	10-5000	9	10-9096	53, 72
10-1213NS	31	10-5000A	9	11-1000	30
10-1302	44	10-5000R	12	11-1001	32
10-1303	44	10-5000V	12	11-1002	30
10-1403AU	31	10-5001	9	11-1003	32
10-1403EAU	49	10-5100AU	39	11-1100AU	30
10-1413AU	31	10-5101AU	38	11-1101AU	32
10-1603AU	44	10-5102AU	38	11-1200NS	30
10-1603NS	44	10-5103AU	38	11-1201NS	32
10-2000	29	10-5104AU	39	11-1202NS	30
10-2001	29	10-5105AU	38	11-1203NS	32
10-2002	29	10-5200NS	39	11-1301	45
10-2004	32	10-5201NS	38	11-1303	45
10-2100AU	29	10-5202NS	38	11-1402AU	30
10-2101AU	29	10-5203NS	38	11-1403AU	32
10-2200NS	29	10-5204NS	39	11-1603AU	45
10-2201NS	29	10-5205NS	38	11-1603NS	45
10-2202NS	29	10-5400AU	39	12-1000	32
10-2204NS	32	10-5400EAU	49	12-1030	33
10-2304	44	10-5400NS	39	12-1035	33
10-2402AU	29	10-5401AU	38	12-1040	29
10-2404AU	32	10-5401EAU	49	12-1045	29
10-2404EAU	49	10-5401NS	38	12-1075	27
10-2604AU	44	10-5402AU	38	12-1080	27
10-2604NS	44	10-5402EAU	49	12-1085	27
10-3000	27	10-5402NS	38	12-1090	28
10-3001	27	10-5403AU	38	12-1092	28
10-3002	27	10-5403EAU	49	12-1095	28
10-3005	28	10-5403NS	38	12-1130AU	33
10-3010	28	10-5404AU	39	12-1131AU	33
10-3015	28	10-5404EAU	49	12-1132AU	33
10-3100AU	27	10-5404NS	39	12-1140AU	29
10-3101AU	27	10-5405AU	38	12-1175AU	27
10-3105AU	28	10-5405NS	38	12-1180AU	27
10-3110AU	28	10-5601AU	46	12-1190AU	28
10-3200NS	27	10-5601NS	46	12-1192AU	28
10-3201NS	27	10-5602AU	46	12-1195AU	28
10-3202NS	27	10-5602NS	46	12-1200NS	32
10-3205NS	28	10-5603AU	46	12-1230NS	33
10-3210NS	28	10-5603NS	46	12-1231NS	33
10-3215NS	28	10-5604AU	46	12-1232NS	33
10-3402AU	27	10-5604NS	46	12-1235NS	33
10-3415AU	28	10-5605AU	46	12-1236NS	33
10-4000	9	10-5605NS	46	12-1237NS	33
10-4000J	11	10-6000	9	12-1238NS	33
10-4000R	11	10-6000J	12	12-1240NS	29
10-4000V	11	10-6000R	12	12-1245NS	29
10-4001	9	10-6000V	12	12-1275NS	27
10-4001A	9	10-6002	9	12-1280NS	27
10-4001J	11	10-6010	10	12-1290NS	28
10-4001R	11	10-6011	10	12-1292NS	28
10-4001V	11	10-6012	10	12-1295NS	28
10-4018J	15	10-6020	10	12-1300	44
10-4021	9	10-6020J	12	12-1330	45
10-4021V	15	10-6025	10	12-1335	45
10-4028J	15	10-6050	10	12-1400AU	32
10-4028V	15	10-6055	10	12-1400EAU	49
10-4038	15	10-6060	10	12-1429AU	33
10-4048	15	10-6075	11	12-1432AU	33
10-4058	15	10-6076	11	12-1432EAU	49
10-4068	15	10-6500	13	12-1433AU	33
10-4601	9	10-6575	13	12-1433EAU	49
10-4601A	9	10-7001	11	12-1434AU	33
10-4601J	12	10-7050	11	12-1434EAU	49
10-4601V	12	10-9070	6	12-1435AU	33

Kirwan #	Page #	Kirwan #	Page #	Kirwan #	Page #
12-1435EAU.....	49	14-7009	56	19-1003C	21
12-1436AU	33	14-7010	56	19-1003CX.....	22
12-1436EAU.....	49	14-7012	56	19-1003IR	23
12-1437AU	33	14-7013	56	19-1103	20
12-1437EAU.....	49	14-7014	56	19-1103AU	19
12-1438AU	33	14-7016	56	19-1103C	21
12-1438EAU.....	49	14-7017	56	19-1103CX.....	22
12-1445AU	29	14-7018	56	19-1200	20
12-1450AU	32	14-9000	59	19-1200AU	19
12-1451AU	32	14-9001	59	19-1200C	21
12-1600AU	44	14-9002	59	19-1200CX.....	22
12-1600NS.....	44	14-9004	59	19-1200IR	23
12-1629AU	45	14-9006	59	19-1205AU	19
12-1632AU	45	14-9008	59	19-1227AU	19
12-1633AU	45	14-9020	59	19-1228	20
12-1634AU	45	14-9030	59	19-1228AU	19
12-1635AU	45	14-9031	59	19-1228C	21
12-1635NS.....	45	14-9032	59	19-1228CX.....	22
12-1636AU	45	14-9034	59	19-1228IR	23
12-1637AU	45	15-1400AU	42	19-1229	20
12-1638AU	45	15-1403AU	42	19-1229AU	19
12-5100AU	40	15-1432AU	42	19-1229C	21
12-5101AU	40	15-1433AU	42	19-1229CX.....	22
12-5102AU	40	15-1434AU	42	19-1229IR	23
12-5103AU	40	15-1435AU	42	19-1230	20
12-5104AU	40	15-1436AU	42	19-1230AU	19
12-5105AU	40	15-1437AU	42	19-1230C	21
12-5106AU	40	15-1438AU	42	19-1230CX.....	22
12-5107AU	40	15-2103	30	19-1230IR	23
12-5108AU	40	15-2104	30	19-1231AU	19
12-5109AU	40	15-2105	30	19-1231C	21
12-5110AU	40	15-2107	30	19-1231CX.....	22
12-5111AU	40	15-2108	30	19-1231IR	23
13-5000	69	15-2109	30	19-1235	20
13-5010	69	15-2404AU	42	19-1235AU	19
13-5020	69	15-3101	30	19-1235C	21
13-5030	69	15-3103	30	19-1235CX.....	22
13-5040	69	15-3104	30	19-1235IR	23
13-5050	69	15-3105	30	19-1236AU	19
13-5070	69	15-3109	30	19-1236C	21
13-5071	69	15-3110	30	19-1236CX.....	22
13-5080	69	15-5101	38	19-1236IR	23
14-1080	24	15-5102	38	19-1240	20
14-1090	24	15-5103	38	19-1240AU	19
14-1413	24	15-5104	39	19-1240C	21
14-1431	24	15-5110	30	19-1240CX.....	22
14-2401	24	15-5112	30	19-1250C	21
14-2403	24	15-5301	46	19-1251C	21
14-3000	24	15-5302	46	19-1275	20
14-4403	24	15-5303	46	19-1275C	21
14-4404	24	15-5304	46	19-1275CX.....	22
14-5000	55	15-5310	46	19-1280	20
14-5000N.....	55	15-5401AU	42	19-1280C	21
14-5002	55	15-5402AU	42	19-1280CX.....	22
14-5004	55	15-5403AU	42	19-1290	20
14-5006	55	15-5404AU	42	19-1290C	21
14-5006N.....	55	16-1030	24	19-1290CX.....	22
14-5007	55	16-1080	24	19-1295	20
14-5007L.....	55	16-1090	24	19-1295C	21
14-5009	55	16-1413	24	19-1295CX.....	22
14-5010	55	16-2102	24	19-2000	20
14-5011	55	16-2400	24	19-2000AU	19
14-5011L.....	55	16-3000	24	19-2000C	21
14-5027	55	16-4002	24	19-2000CX.....	22
14-7000	56	16-4102	24	19-2002	20
14-7002	56	16-5030	57	19-2002AU	19
14-7006	56	16-5031	57	19-2002C	21
14-7007	56	19-1003	20	19-2002CX.....	22
14-7008	56	19-1003AU	19	19-2004	20

INDEX

Kirwan #	Page #	Kirwan #	Page #	Kirwan #	Page #
19-2004AU	19	20-1215NS	35	20-1617AU	47
19-2004C	21	20-1216NS	35	20-1617NS	48
19-2004CX	22	20-1217NS	35	20-1618AU	47
19-2004IR	23	20-1218NS	35	20-1618NS	48
19-2022AU	18	20-1219NS	35	20-1619AU	47
19-2024AU	18	20-1220NS	35	20-1619NS	48
19-2026AU	18	20-1221NS	35	20-1620AU	47
19-2032AU	18	20-1310	48	20-1620NS	48
19-2034AU	18	20-1311	48	20-1621AU	47
19-2036AU	18	20-1312	48	20-1621NS	48
19-2042AU	18	20-1313	48	21-1406AU	37
19-2044AU	18	20-1314	48	21-1406EAU	51
19-2046AU	18	20-1315	48	21-1407AU	37
19-3002	20	20-1316	48	21-1407EAU	51
19-3002AU	19	20-1317	48	21-1408AU	37
19-3002C	21	20-1318	48	21-1408EAU	51
19-3002CX	22	20-1319	48	21-1409AU	37
19-3010	20	20-1320	48	21-1409EAU	51
19-3010AU	19	20-1321	48	21-1410AU	37
19-3010C	21	20-1410AU	34	21-1410EAU	51
19-3010CX	22	20-1410EAU	50	21-1411AU	37
19-5022AU	17	20-1410NS	34	21-1411EAU	51
19-5024AU	17	20-1411AU	34	21-1412AU	37
19-5026AU	17	20-1411EAU	50	21-1412EAU	51
19-5032AU	17	20-1411NS	34	21-1413AU	37
19-5032AUIR	17	20-1412AU	34	21-1413EAU	51
19-5034AU	17	20-1412EAU	50	21-1414AU	37
19-5034AUIR	17	20-1412NS	34	21-1414EAU	51
19-5036AU	17	20-1413AU	34	21-1415AU	37
19-5036AUIR	17	20-1413EAU	50	21-1415EAU	51
19-5042AU	17	20-1413NS	34	21-1416AU	37
19-5042AUIR	17	20-1414AU	34	21-1416EAU	51
19-5044AU	17	20-1414EAU	50	21-1417AU	37
19-5044AUIR	17	20-1414NS	34	21-1417EAU	51
19-5046AU	17	20-1415AU	34	21-1418AU	37
19-5046AUIR	17	20-1415EAU	50	21-1418EAU	51
19-8020C	23, 62	20-1415NS	34	21-1419AU	37
19-8021C	23, 62	20-1416AU	34	21-1419EAU	51
19-8025C	23, 62	20-1416EAU	50	21-1420AU	37
19-8026C	23, 62	20-1416NS	34	21-1420EAU	51
20-1010	36	20-1417AU	34	21-1421AU	37
20-1011	36	20-1417EAU	50	21-1421EAU	51
20-1012	36	20-1417NS	34	21-1422AU	37
20-1013	36	20-1418AU	34	21-1422EAU	51
20-1014	36	20-1418EAU	50	21-1423AU	37
20-1015	36	20-1418NS	34	21-1423EAU	51
20-1016	36	20-1419AU	34	21-1424AU	37
20-1017	36	20-1419EAU	50	21-1424EAU	51
20-1018	36	20-1419NS	34	21-1425AU	37
20-1019	36	20-1420AU	34	21-1425EAU	51
20-1020	36	20-1420EAU	50	21-1426AU	37
20-1021	36	20-1420NS	34	21-1426EAU	51
20-1110AU	35	20-1421AU	34	21-1427AU	37
20-1111AU	35	20-1421EAU	50	21-1427EAU	51
20-1112AU	35	20-1421NS	34	21-1428AU	37
20-1113AU	35	20-1610AU	47	21-1428EAU	51
20-1114AU	35	20-1610NS	48	21-1429AU	37
20-1115AU	35	20-1611AU	47	21-1429EAU	51
20-1116AU	35	20-1611NS	48	21-1442AU	37
20-1117AU	35	20-1612AU	47	21-1442EAU	51
20-1118AU	35	20-1612NS	48	21-1443AU	37
20-1119AU	35	20-1613AU	47	21-1443EAU	51
20-1120AU	35	20-1613NS	48	21-1444AU	37
20-1121AU	35	20-1614AU	47	21-1444EAU	51
20-1210NS	35	20-1614NS	48	21-1445AU	37
20-1211NS	35	20-1615AU	47	21-1445EAU	51
20-1212NS	35	20-1615NS	48	21-1446AU	37
20-1213NS	35	20-1616AU	47	21-1446EAU	51
20-1214NS	35	20-1616NS	48	21-1447AU	37

Kirwan #	Page #	Kirwan #	Page #	Kirwan #	Page #
21-1447EAU	51	24-1465EAU	52	30-8012	66
23-1411AU	41	24-1467AU	43	30-8013	65
23-1413AU	41	24-1467EAU	52	30-8014	66
23-1415AU	41	24-1468AU	43	30-8015	65
23-1417AU	41	24-1468EAU	52	30-8016	66
23-1419AU	41	24-1469AU	43	30-8017	66
23-1421AU	41	24-1469EAU	52	30-8018	66
23-1431AU	41	26-2500	5	41-6120	71
23-1432AU	41	26-2500P	5	41-6125	71
23-1433AU	41	28-1900	5	41-6130	71
23-1451AU	41	28-2000	6	41-6140	71
23-1452AU	41	28-2000P	6	41-6145	71
24-1430AU	43	28-2600	6	50-1000	70
24-1430EAU	52	28-2600P	6	50-1001	70
24-1431AU	43	28-2600W	6	50-1002	70
24-1431EAU	52	30-1000	14	50-1003	70
24-1432AU	43	30-1201	13	50-1004	70
24-1432EAU	52	30-1201L	13	50-1005	70
24-1433AU	43	30-1203	13	50-1006	70
24-1433EAU	52	30-1204	13	50-1007	70
24-1434AU	43	30-1205	14	50-1009	70
24-1434EAU	52	30-1206	14	50-1010	70
24-1435AU	43	30-1208	14	50-1011	70
24-1435EAU	52	30-1209	14	50-1012	70
24-1437AU	43	30-2000	61	50-1013	70
24-1437EAU	52	30-2002	61	50-1014	70
24-1440AU	43	30-2004	61	50-1015	70
24-1440EAU	52	30-2005	62	50-1016	70
24-1441AU	43	30-2008	61	50-1017	70
24-1441EAU	52	30-2009	62	50-1020	70
24-1442AU	43	30-3000	61	50-2538	70
24-1442EAU	52	30-3003	14		
24-1443AU	43	30-3010	61		
24-1443EAU	52	30-3012	61		
24-1444AU	43	30-3014	61		
24-1444EAU	52	30-3016	61		
24-1445AU	43	30-4000	67		
24-1445EAU	52	30-4001	67		
24-1447AU	43	30-4002	67		
24-1447EAU	52	30-4003	67		
24-1450AU	43	30-4004	67		
24-1450EAU	52	30-4005	67		
24-1451AU	43	30-4100	67		
24-1451EAU	52	30-5110	13		
24-1452AU	43	30-5200	59		
24-1452EAU	52	30-5201	59		
24-1453AU	43	30-5205	13		
24-1453EAU	52	30-5210	13		
24-1454AU	43	30-6001	67		
24-1454EAU	52	30-6002	67		
24-1455AU	43	30-6003	67		
24-1455EAU	52	30-6004	67		
24-1457AU	43	30-6011	67		
24-1457EAU	52	30-6012	67		
24-1458AU	43	30-7000	63		
24-1458EAU	52	30-7001	63		
24-1459AU	43	30-7002	63		
24-1459EAU	52	30-7003	63		
24-1460AU	43	30-7004	63		
24-1460EAU	52	30-7005	63		
24-1461AU	43	30-8000	65		
24-1461EAU	52	30-8002	65		
24-1462AU	43	30-8004	65		
24-1462EAU	52	30-8006	65		
24-1463AU	43	30-8007	66		
24-1463EAU	52	30-8008	65		
24-1464AU	43	30-8009	66		
24-1464EAU	52	30-8010	65		
24-1465AU	43	30-8011	65		



180 Enterprise Drive · Marshfield, MA 02050 USA
TEL: 781-834-9500 · 888-547-9267 · FAX: 781-834-0022
WEB: www.ksp.com · EMAIL: info@ksp.com

Copyright: Kirwan, , WIDESTROKE,  and  are registered trademarks of Kirwan Surgical Products LLC. Products protected under one or more of the following patents, 5,989,249, 5,957,928, 6,749,610, 6,298,550, 6,059,783, 6,228,084, 6,174,310, 6,406,476, 7,402,754, 7,621,911, 7,789,882, 8,108,994 and 8,656,585. All Rights Reserved. No part of this catalog may be reproduced or used without written permission. Copyright 2016 Kirwan Surgical Products LLC. All registered trademarks referenced herein are the property of their respective owners. L-GENCAT-6 REV. D